

## Interior Doors Molded & Flush Features

Door Styles | Sticking Profiles | Surfaces | Core Choices



## STYLE AND SUBSTANCE

JELD-WEN Molded interior doors blend style and substance: select the architectural style that best fits your home and complement it with a woodgrain texture or smooth finish. Solid or hollow-core door construction provides flexibility for areas of the home that put a premium on quiet. Molded doors come in widths of 1'0" - 3'0" and most are available in heights of 6'8", 7'0" and 8'0". Matching bifold doors are also available in most styles.



# DOOR STYLES

#### Smooth Surface - Flat Panel Smooth Surface - Raised Panel Craftsman III<sup>™</sup> Monroe™ Madison<sup>®</sup> Conmore® Colonist<sup>®</sup> **Rockport**<sup>®</sup> **Coventry**® Princeton™ Smooth Smooth Smooth Smooth Smooth Smooth Smooth Smooth Stepped Sticking Craftsman Craftsman Craftsman Cove & Bead Cove & Bead Cove & Bead Cove & Bead Sticking 6'8", 6'8" & 7'0" Sticking Sticking Sticking Sticking Sticking Sticking 6'8" & 7'0" 7'0" & 8'0" 6'8", 7'0" 6'8", 7'0" 6'8", 7'0" 6'8", 7'0" 6'8", 7'0" & 8'0" & 8'0" & 8'0" . & 8'0" & 8'0" Smooth Surface - Raised Panel Corvado<sup>®</sup> Santa Fe<sup>™</sup> Cashal® Cambridge™ Carrara® Continental<sup>™</sup> Caiman® Smooth Smooth Smooth Smooth Smooth Smooth Smooth Cove & Bead Ovolo Sticking Cove & Bead Ovolo Stickina Cove & Bead Cove & Bead **Ovolo Sticking** 6'8", 7'0" & 8'0" 6'8", 7'0" 6'8", 7'0" Sticking Sticking Sticking Sticking 6'8", 7'0" & 8'0" 6'8" & 7'0" & 8'0" 6'8" & 7'0" & 8'0" 6'8" & 7'0" & 8'0" & 8'0" & 8'0" **Impression**<sup>™</sup> Woodgrain Surface - Raised Panel Series Colonist<sup>®</sup> Colonial<sup>™</sup> **Provincial**® Avalon<sup>®</sup> Camden<sup>®</sup> **Beveled Mirror** Textured Textured Textured Textured Textured Reverse Side: **Ovolo Sticking** Cove & Bead **Ovolo Sticking** Cove & Bead Cove & Bead Six-panel Sticking 6'8", 7'0" 6'8" & 7'0" Sticking Sticking textured only. 6'8", 7'0" & 8'0" & 8'0" 6'8" & 7'0" 6'8" & 7'0"



JELD-WEN molded doors and door skins are certified by Scientific Certification Systems (SCS) for up to 65% recycled content.\*

\*Please note that recycled content percentages refer to the door slab and facing. It does not include the door frame and/or frame component.

# **DOOR STYLES & FEATURES**

#### Light Commercial Wide-Stile Doors

These doors accommodate commercial-grade hardware and many types of locking systems. Because of their solid core construction, they also provide remarkable sound reduction for privacy where commercial projects demand it.



Textured Wide Stile Ovolo Sticking 6'8" & 7'0"



Colonist<sup>®</sup> Smooth Wide Stile Cove & Bead Sticking 6'8", 7'0"



Cambridge<sup>--</sup> Beaded Smooth Wide Stile Beaded Sticking 6'8" & 7'0"



Continental<sup>™</sup> Smooth Wide Stile Ovolo Sticking 6'8" & 7'0"

## **Sticking Profiles**

Whether traditional or contemporary, JELD-WEN has sticking profile options that will distinguish the interior of your home with beautiful quality and attention-to-design detail.



Beaded Sticking

Ovolo Sticking

Cove & Bead Sticking



Surface Textures

Smooth

Smooth surface doors give your home a clean, streamlined feeling. They feature the classic look of painted wood doors.



#### Woodgrain

JELD-WEN<sup>®</sup> interior doors with textured surfaces emulate the look of solid wood doors. Each one has a deep, woodgrain appearance.

#### Molded Door Construction Choices



ProCore Solid Core® — Combination Wood/MDF or All-Wood Frame 1-3/8" Door 1-3/4" Door 20-Minute Fire rating available up to 3'0" x 8'0"





Solid Mineral Core — All-Wood Frame 1-3/4" Door 45- or 60-Minute Fire ratings available up to 3'0" x 8'0"



Hollow Core — Wood/MDF Frame 1-3/8" Door Blocking behind panels for support



#### ProCore The Quiet Door® -

Make each room in your home an oasis with our ProCore the QuietDoor upgrade. Reduce sound transmission between spaces by up to 50% compared to hollow-core doors. Enjoy more peace and quiet, plus this design resists the dents and dings of living.

#### PROCORE THE QUIET DOOR

Our flush interior doors comes in a variety of finish colors and woodgrains. The samples below are only a portion of the available pre-finished embossed and medium-density fiberboard colors, and unfinished hardwood veneers.

All Flush interior doors are available with ProCore The Quiet Door® construction for superior sound control.

#### Unfinished Hardwood Veneer

Offered in several additional species (varies by region, please check with your dealer)





Tropical Hardwood

## Prefinished Embossed Hardboard

Offered in numerous colors (varies by region)



#### Prefinished Smooth Hardboard

Embossed Snow

Imperial Oak

Primed

Variances in photography and printing may cause the finish colors shown to vary from the actual finishes.

#### Flush Door Construction Choices



ProCore Solid Core — Wood or MDF Frame 1-3/8" Door 1-3/4" Door 20-Minute Fire rating available in 1-3/4" up to 4'0" x 8'0"



Solid Mineral Core — Mineral Composite Frame 1-3/4" Door 45-, 60- and 90-Minute Fire ratings available



Solid Wood Stave Core — Wood Frame 1-3/8" Door 1-3/4" Door 20-Minute Fire rating available in 1-3/4" up to 4'0" x 8'0"





Hollow Core — Combination Wood/ MDF Frame 1-3/8" Door Corrugated honeycomb cell core

Offered in multiple colors (varies by region, contact your local dealer)

The JELD-WEN<sup>®</sup> website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **jeld-wen.com** today.



## THE JELD-WEN PROMISE

JELD-WEN products create lasting value for your home. We are so confident that you will be pleased with our Molded and Flush Interior Doors, that each one carries our industry-leading warranty. Here are just some of the highlights of our warranty...

#### The Interior and Exterior Door Slab and System Limited Warranty Includes:

» 5-year coverage on interior door slabs for defects in material and workmanship

» 1-year coverage on door frames for defects in material and workmanship

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components not sold by JELD-WEN.

NOTE: The above information is a summary of key provisions of the **JELD-WEN Interior and Exterior Door Slab and System Limited Warranty** effective May 1, 2012. For a complete copy of the current warranty, see your sales associate or refer to **jeld-wen.com**.



© 2016, 2015, 2014, JELD-WEN, Inc.; Door designs and this publication are owned by JELD-WEN, Inc. and are protected under the U.S. Copyright Act and other intellectual property laws. All trademarks, service marks, logos and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, Inc. or others. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited. JELD-WEN reserves the right to change product specifications without notice. Please check our website, **jeld-wen.com**, for current information or call 800.535.3936.

